

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13417	707/100 or 707/102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:30
L2	390	1 and (XML near2 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:31
L3	3	1 and (XML near2 schema) and ((dimensional near2 model) or cube) and ((object-relational) or (object near2 model)) and (mapp\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:32
L4	6	(XML near2 schema) and ((dimensional near2 model) or cube) and ((object-relational) or (object near2 model)) and (mapp\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:33
L5	224	(XML) and ((dimensional near2 model) or cube) and ((object-relational) or (object near2 model)) and (mapp\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:21
L6	49	(XML) and ((dimensional near2 model) or cube) and ((object-relational) or (object near2 model)) and (mapp\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:22
L7	1	5 and (xml near2 schema)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:22
L8	44	5 and (classes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:33

## EAST Search History

L9	1	(convert\$3 same xml same object same dimensional)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:34
L10	0	(xml near2 schema) and (object near2 model) and (dimensional near2 model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:35
L11	0	(xml near2 schema\$1) and (object with model) and (dimensional near2 model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:35
L12	0	(xml) and (object with model) and (dimensional near2 model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:35
L13	17	(xml) and (object with model) and (dimensional near2 model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:35
L14	0	(xml near2 schema) and (object with model) and (dimensional near2 model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:35
L15	3	(xml near2 schema) and (object with model) and (dimensional with model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:36
L16	6	(xml same (object with model)) and (dimensional with model)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:37
L17	5	(xml same (object with model)) and (cube)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:44
L18	0	10/410793 and tag\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:44

## EAST Search History

L19	0	10/410793 and tag	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:11
L20	0	xml and (dimension with model) and (object-relational)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:12
L21	3	xml and (dimension with model) and (object with relational)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:32
L22	64	(mapping same object same class same (relational near2 database))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:40
L23	1	11/177773 and relationship	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 15:40
S1	2	"6308167".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:59
S2	103	707/1 and (feedback) and assessment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:00
S3	22	707/1 and (feedback) and assessment and collaborative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:33
S4	2	"5867799".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:05

## EAST Search History


S13 3	195	object near2 relational near2 model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 19:02
S13 4	12	S133 and xml and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 19:03
S13 5	10	S133 and xml and dimension and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 19:04
S13 6	773	(object near2 model) and (relational near2 database) and xml and mapp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 19:05
S13 7	168	(object near2 model) and (relational near2 database) and xml and mapp\$3 and (dimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 19:05
S13 8	131	(object near2 model) and (relational near2 database) and xml and mapp\$3 and (dimensional) and class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 19:05
S13 9	119	(object near2 model) and (relational near2 database) and xml and mapp\$3 and (dimensional) and classes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:11
S14 0	22	(object near2 model) and xml and mapp\$3 and (dimensional near2 model) and classes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:26

## EAST Search History

S14 1	0	11/177773 and dimension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:26
S14 2	0	11/177773 and cub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:33
S14 3	0	11/177773 and cube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:33
S14 4	0	11/177773 and dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:33
S14 5	1	11/177773 and relational	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:42
S14 6	422	"707"/\$.ccls. and (distance near2 measure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:43
S14 7	52	"707"/\$.ccls. and (distance near2 measure) and aggregate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:43
S14 8	105	"707"/\$.ccls. and (distance near2 measure) and aggregat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:43

## EAST Search History

S14 9	75	"707"/\$.ccls. and (distance near2 measure) and aggregat\$ and rank\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 10:44
S15 0	43	"707"/\$.ccls. and (distance near2 measure) and aggregat\$ and (rank\$3 same document\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:06
S15 1	11	"707"/\$.ccls. and (distance near2 measure) and aggregat\$ and (rank\$3 same document\$1) and (re-rank\$3 or re-sort\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 11:08
S15 2	13	(distance near2 measure) and aggregat\$ and (rank\$3 same document\$1) and (re-rank\$3 or re-sort\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 13:30

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

xml schema and mapping an object-relational

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web** Results 21 - 30 of about 27,400 for xml schema and mapping an object-relational model and dimensional model and

### Cover Pages: XML and Databases

From the database schema we can also generate an SQL-to-XML mapping schema. ...

The object-relational model is still very much with us: Now it's being ...

[xml.coverpages.org/xmlAndDatabases.html](http://xml.coverpages.org/xmlAndDatabases.html) - 265k - [Cached](#) - [Similar pages](#)

### relational database - Results By Free Computer Training Search

**Object-relational mapping** articles and products **Object-relational mapping** ... [edit](#) ]Relational model Main article: Relational model [ [edit](#) ] Database ...[www.edcomp.com/results/relational+database.html](http://www.edcomp.com/results/relational+database.html) - 91k - [Cached](#) - [Similar pages](#)

### [PDF] reviewed paper

File Format: PDF/Adobe Acrobat - [View as HTML](#)

coordinate tuple, thus, describing a 2.5 dimensional geometric model. ... defines the complete IFC Model using the XML Schema Definition Language (XSD). The ...

[mmp-tk1.kosnet.com/corp/archiv/papers/2005/CORP2005\\_DORNINGER\\_KIPPES.pdf](http://mmp-tk1.kosnet.com/corp/archiv/papers/2005/CORP2005_DORNINGER_KIPPES.pdf) -[Similar pages](#)

### SharpToolbox category : Object-relational mapping

File Format: Unrecognized - [View as HTML](#)

It includes tools to create the database schema from the object model and ... and type

safety - XML-based schema definition language for mapping - Support ...

[sharptoolbox.com/Tools.aspx/GetCategory\\_Rss?category=74089b0a-1105-4389-b1db-](http://sharptoolbox.com/Tools.aspx/GetCategory_Rss?category=74089b0a-1105-4389-b1db-eedf27e20cfb)[eef27e20cfb](#) - [Similar pages](#)

### [PDF] Part I Introduction Overview

File Format: PDF/Adobe Acrobat - [View as HTML](#)

are mainly based on the object-relational model with ... XML-database systems ... A

database schema is a map of concepts and their ...

[www.iti.cs.uni-magdeburg.de/iti\\_db/lehre/adbm/adbm-1.pdf](http://www.iti.cs.uni-magdeburg.de/iti_db/lehre/adbm/adbm-1.pdf) - [Similar pages](#)

### [PDF] Using Model Driven Architecture™ to Manage Metadata

File Format: PDF/Adobe Acrobat - [View as HTML](#)

XML. IDL. Multi-dimensional. Database Schema. Object-. Relational. Mappings.

Relational. Database ... A MOF-XML mapping, not a single DTD for. UML models ...

[www.omg.org/news/meetings/workshops/UML%202003%20Manual/Tutorial5-Frankel.pdf](http://www.omg.org/news/meetings/workshops/UML%202003%20Manual/Tutorial5-Frankel.pdf) -[Similar pages](#)

### [PDF] Using Relational Database metadata to generate enhanced XML ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

7.2 Object-relational mapping. It models the data in the XML document as tree of ... 9-

The definition of attribute in XML schema allows to define set of ...

[www.inf.uni-konstanz.de/~sagr/Publish.pdf](http://www.inf.uni-konstanz.de/~sagr/Publish.pdf) - [Similar pages](#)

### [PDF] XAHM: an XML-based Adaptive Hypermedia Model and its Implementation

File Format: PDF/Adobe Acrobat - [View as HTML](#)

structure of the hypermedia, and XML-based models for the description of i) metadata ...

2.3 Probabilistic Interpretation of the Adaptive Hypermedia Schema ...

[www.wis.win.tue.nl/ah2001/papers/cannataro.pdf](http://www.wis.win.tue.nl/ah2001/papers/cannataro.pdf) - [Similar pages](#)

### DBTA: Database Elaborations - August 2003

Each XML schema should represent a single, given business object. This selected

business object should map (at the top level) to an entity in the model (and ...

[www.dbta.com/columnists/todd\\_schraml/database\\_elaborations\\_0803.html](http://www.dbta.com/columnists/todd_schraml/database_elaborations_0803.html) - 36k -

[Cached](#) - [Similar pages](#)

[Michael Rys : My comments on the Infoworld article "Databases flex ...](#)

It is the data **model**. And the XML data **model** for XQuery provides both values and ... The **mapping** is actually provided by our **mapping schema** technology: ...  
sqljunkies.com/WebLog/mrys/archive/2004/06/10/3036.aspx - 101k -

[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google